





Removable bollards stainless steel

As manufacturer we can offer you the following
 This list contains our standard dimensions
 Other dimensions are also possible
 Do not hesitate to contact us for more information

		Code					weight
	Bollard removable Rounded head Ø 88.9 x 2 mm Total length : 750-900 mm Stainless steel 304/316 Pole brushed – polished head Locking system for triangle key Seamless finish	RP-WNB-88.9x2x750- rvs304					5.5 kg
		RP-WNB-88.9x2x750- rvs316					5.5 kg
		RP-WNB-88.9x2x900- rvs304					6 kg
		RP-WNB-88.9x2x900- rvs316					6 kg
	Bollard removable Rounded head Ø 88.9 x 3.05 mm Total length : 750-900 mm Stainless steel 304/316 Pole brushed – polished head Locking system for triangle key Seamless finish	RP-WNB-88.9x3.05x750- rvs304					7 kg
		RP-WNB-88.9x3.05x750- rvs316					7 kg
		RP-WNB-88.9x3.05x900- rvs304					8 kg
		RP-WNB-88.9x3.05x900- rvs316					8 kg
	Bollard removable Rounded head Ø 104 x 2 mm Total length : 750-900 mm Stainless steel 304/316 Pole brushed – polished head Locking system for triangle key Seamless finish	RP-WNB-104x2x750- rvs304					6.5 kg
		RP-WNB-104x2x750- rvs316					6.5 kg
		RP-WNB-104x2x900- rvs304					7 kg
		RP-WNB-104x2x900- rvs316					7 kg
	Bollard removable Rounded head Ø 101.6 x 3.05 mm Total length : 750-900 mm Stainless steel 304/316 Pole brushed – polished head Locking system for triangle key Seamless finish	RP-WNB-101.6x3.05x750- rvs304					8 kg
		RP-WNB-101.6x3.05x750- rvs316					8 kg
		RP-WNB-101.6x3.05x900- rvs304					9 kg
		RP-WNB-101.6x3.05x900- rvs316					9 kg

Code						weight
------	--	--	--	--	--	--------



Bollard removable Rounded head Ø 154 x 2 mm Total length : 750-900 mm Stainless steel 304/316 Pole brushed – polished head Locking system for triangle key Seamless finish						
	RP-WNB-154x2x750- rvs304					10 kg
	RP-WNB-154x2x750- rvs316					10 kg
	RP-WNB-154x2x900- rvs304					11 kg
	RP-WNB-154x2x900- rvs316					11 kg



Bollard removable Rounded head Ø 156 x 3 mm Total length : 750-900 mm Stainless steel 304/316 Pole brushed – polished head Locking system for triangle key Seamless finish						
	RP-WNB-156x3x750- rvs304					12 kg
	RP-WNB-156x3x750- rvs316					12 kg
	RP-WNB-156x3x900- rvs304					13.5 kg
	RP-WNB-156x3x900- rvs316					13.5 kg

accessories



Ground socket in galvanised steel L:240 x B:240 x H:300 mm	code					weight
	sokkel					10 kg



Triangle key	Code					weight
	driekantsleutel					0.08 kg



Hexagon key	Code					weight
	zeskantsleutel					0.250 kg

Spare parts

Available separately : Threaded rod for removable bollard– complete with triangle head or hexagon head

Available separately : locking nut

Seamless finish

Triangular head



Hexagon head



All seams are welded and seamlessly finished, making the posts HACCP responsible.

option

With ring for chain or rope



option

Reflective tape:

Height per tape is 55 mm. The tape is placed with an intermediate distance of 55 mm.
Also available separately (to stick yourself)

White



Yellow



Red



1 reflective tape



2 reflective tapes



option

Electropolishing

- Greatly improved corrosion resistance
- Great resistance to sticking
- Greatly improved cleanability
- Extremely hygienic and bacteriologically clean surface
- Smoother and denser surface, lower roughness, deburring
- Elimination of the weld discoloration, higher shine
- Low flow resistance and good thermal effect
- Extremely passive and noble surface

Recommended for use on the coast and in environments with acids and salts.

Price depends on the quantity

For orders or price requests please mail to: info@axra.be